Langham Village School
Guidance on Infections and Illnesses (from Public Health Agency)

Condition	Recommended time away from school*	NHS Website Link
Chicken Pox	Back to school after all spots have crusted over	https://www.nhs.uk/conditions/chickenpox/
German Measles	Back to school four days from onset of rash	https://www.nhs.uk/conditions/rubella/
Hand, foot and Mouth	None	https://www.nhs.uk/conditions/hand-foot-mouth-disease/
Impetigo	Back to school once the lesions have crusted and healed or 48 hours after starting anti-biotic treatment	https://www.nhs.uk/conditions/impetigo/
Measles	Back to school four days from onset of rash	https://www.nhs.uk/conditions/measles/
Ringworm	Exclusion not usually required, but treatment is required	https://www.nhs.uk/conditions/ringworm/
Scabies	Can return to school after first treatment.	https://www.nhs.uk/conditions/ringworm/
Scarlet Fever	Can return 24 hours from onset on anti-biotic treatment.	https://www.nhs.uk/conditions/scarlet-fever/
Slapped Cheek	Back to school once rash has developed	https://www.nhs.uk/conditions/slapped-cheek-syndrome/
Warts and Verruca	None	https://www.nhs.uk/conditions/warts-and-verrucas/
Diarrhoea and/or vomiting	48 hours from last episode of diarrhoea and vomiting	https://www.nhs.uk/conditions/diarrhoea-and-vomiting/
Flu	Stay off until recovered	https://www.nhs.uk/conditions/flu/
Conjunctivitis	None	https://www.nhs.uk/conditions/conjunctivitis/
Head lice	None, although treatment is required	https://www.nhs.uk/conditions/head-lice-and-nits/
Mumps	Back to school five days after swelling starts	https://www.nhs.uk/conditions/mumps/
Threadworms	None, although treatment is required	https://www.nhs.uk/conditions/threadworms/
Tonsillitis	Stay off until recovered	https://www.nhs.uk/conditions/tonsillitis/

*** This is the recommended time away from school to prevent the spread of infection. If your child is still feeling unwell after the recommended time, they should stay at home and only return to school when they feel better.**